



86x56 cm Flexi Kit built-in and flush sink


1 bowl with lowering + accessories kit and tap

1LFX91NK

Description



- extra-thick AISI 304
- stainless steel
- bowl with radius "0"
- 83x41.4x20.7 h bowl
- bowl with lowering for
- sliding of accessories
- equipment: 3½" black basket strainer waste, black Smart pop-up plug, black
- perimeter overflow, black HPL
- chopping board 1TOF26N, stainless steel
- perforated bowl cover with black HPL
- draining rack 1CIFX, Soul mixer tap with remote control and pull-out spray head 1RUBSORN
- tap hole: 3 standard holes
- base unit for bowls: 90
- 84x54 cm cut out
- flush-top: check technical sheet





Plus

Detailed Features



AISI 304 stainless steel

Barazza products are made of high-quality AISI 304 stainless steel, which guarantees resistance to stress, long-lasting durability and ease of cleaning.




Extra-thick AISI 304 stainless steel

Barazza uses thick AISI 304 stainless steel, which is fully recyclable, corrosion-resistant, durable and highly hygienic.



Deep bowls

Products with this plus feature large, deep bowls capable of accommodating high volumes of water and large cookware.



Perimeter overflow

All Barazza sinks and bowls are equipped with an overflow device that prevents water from spilling. Some versions feature a perimeter overflow, with an exclusive and refined design. Smart pop-up waste.



Smart pop-up waste

This system lets you empty the sink by simply pressing a button, without having to put your hands in the bowl.




Radius 0

Squared and elegant bowl radius for a minimalist and contemporary look.




Tap with 360° rotation

Barazza taps feature a 360° tap rotation for maximum flexibility during use.



Remote control

The remote control supplied with Lab Evolution, B_Draft and B_Ambient hoods allows users to activate the LED light and select the desired speed.



Pull-out spray

The independent pull-out spray, placed next to the tap, provides more powerful and efficient cleaning.



Installations

Installation Method



Flush-top



Ensures perfect alignment with the worktop



Flat edge built-in



The edge is perceptible only to the touch and makes installation easy.



Related Accessories



1TOF26



1VOF




1VSOF



1CIVQ



1CITN



1VSFX



1GLN

Related Products



1LFX91



1LFX101



1LFX101NK