




120 cm Lab Evolution built-in and flush hob


4 induction zones

1PLE12ID

Description



- extra-thick AISI 304 stainless steel
- controls: Flat knobs in
- Soft-Touch finish
- functions: power management, Bridge, Booster, selective pan detection, automatic preheating, keep warm
- safety devices: electronic child-safety lock, residual heat indicator, overflow alarm, safety switch-off
- minimum pan diameter: \varnothing 110 mm
- adjustable power levels: 1.6 - 2.0
- - 2.8 - 3.5 - 4.3 - 5 - 5.5 - 6 - 7.4 kW
- maximum absorbed power: 7.4 kW
- 114x49 cm cut out
- flush-top: check technical sheet




Induction zone power:

- 4 Octa zones: 2.1-3 kW (*)
- (*) with Booster function



Plus

Detailed Features



Induction

With induction technology, heat is generated only on the base of the pan and transferred directly to the food. With an efficiency rate of 90%, cooking times are greatly reduced. The hob surface remains cool, offering enhanced safety and ease of cleaning.



Power limiter

This function allows users to set the maximum power level the hob can absorb, helping to prevent electrical overloads.



Bridge function

Allows two adjacent cooking zones to be combined, expanding the usable surface area. Ideal for large cookware.



Booster function

This function reduces cooking time by boosting the selected zone to maximum power, especially useful for heating large amounts of liquid.



Selective pan detection

The induction plate only operates when it detects metallic cookware of suitable size, preventing activation by other objects.



Child safety lock

Prevents accidental changes to the hob settings, particularly by children.



Residual heat indicator

An "H" on the display indicates residual heat on the hob, caused by heat reflected from the cookware.



Overflow alarm

If liquid spills onto the command zone, the hob emits a sound and switches off automatically until the liquid is removed.



Automatic safety shut-off

After a set period at a given power level, the hob automatically switches off to prevent risks from user oversight.



AISI 304 stainless steel

Barazza products are made of high-quality AISI 304 stainless steel, which guarantees resistance to stress, long-lasting durability and ease of cleaning.



Extra-thick AISI 304 stainless steel

Barazza uses thick AISI 304 stainless steel, which is fully recyclable, corrosion-resistant, durable and highly hygienic.



Soft-Touch finish elements

Elegant to the eye and pleasant to the touch, the Soft-Touch finish features on various product lines, covering knobs, handles and control panels.




Flat knobs with Soft-Touch finish

Featuring a minimalist and essential design, the Soft-Touch Flat knobs are warm to the touch and ergonomic, allowing precise power adjustment for burners or induction zones.



Module width 120

Barazza hobs are available in various widths designed to fit the most common standard kitchen unit modules.




In-line zones

The in-line distribution of the zones allows for the depth of the top to be contained, allowing it to be integrated more easily into steel worktops.



Keep Warm function

Sets the power level between 0 and 1, allowing food to be kept warm without the risk of burning.



Automatic preheating function

Allows the zone to reach temperature faster: after selecting a power level, the zone heats at maximum output for a preset time before stabilising at the chosen level.




Installations

Installation Method



Flush-top



Ensures perfect alignment with the worktop



Flat edge built-in



The edge is perceptible only to the touch and makes installation easy.




Related Products



1PLE2D



1PLE3D



1PLE9ID